

ISO 9001:2015 CERTIFIED COMPANY




FORGET
TIREDNESS
& ENJOY
BEST | the
CHAPATI



A Pioneer of
Chapati Machine

www.fortuneeng.com



COMPANY PROFILE

We strive to achieve perfection in creating matchless manufacturing food processing machines through innovative and effective techniques. Through our tireless endeavors and adherence to quality, we aspire to be a global leader. Finally, by unfailingly delivering on our commitments to clients and ensuring employee satisfaction, our goal is to be established in the industry as an ethically clean organization. Mission To establish a new benchmark of quality and customer satisfaction in the world of commercial kitchen equipments Quality Assurance We are a professionally managed organization and our products strictly adhere to the set industry standards. We offer comprehensive Food Processing Machinery solutions to our widespread clients. It is our conviction to satisfy customers by using our high-quality products and excellent customer service.

OUR VALUES

Customer Commitment: We develop relationships that make a positive difference in our customer's lives.

Quality: We provide outstanding products and unsurpassed service premium value to our customers.

Respect for people: We value people, encourage their development and reward their performance.

Get the Real Chapati Machine With **FORTUNE** Engineering

	FC – 1000 Automatic Chapati Machine (1000 / Hour)	04
	FC – 1000 Combo Automatic Chapati Machine (1000 / Hour With Dough Ball Attach)	05
	FC – 600 Automatic Chapati Machine (700 / Hour)	06
	FS – 800 Semi Automatic Chapati Pressing Machine (1000 / Hour)	07
	FS – 800 With Roasting Unit Chapati On Switch Semi Automatic Chapati Pressing Machine With Roasting Unit (1000 / Hour)	08
	FC – 2000 Automatic Chapati Machine (2000 / Hour)	09
	FCE – 600 Automatic Fully Electrical Chapati Machine (600 / Hour)	10
	FCE – 1000 Automatic Fully Electrical Chapati Machine (1000 / Hour)	10
	FR – 800 Automatic Chapati Machine (700 / Hour)	11
	FDB – 2000 Dough Ball Making Machine (2000 / Hour)	12
	Dough Kneading Machine	13
	Our Valuable Clients	14

Features

- India's first portable machine in commercial segment.
- Easy to Operate
- Low Maintenance
- Hi-Performance
- Stainless Steel Body
- Simple, rugged and very compact
- Requires no special skills to operate.
- Uniformly baked final product.
- Robust Construction.
- High Capacity.
- Eco friendly, no pollution problems.
- Hygienic production.
- Final product with traditional test.



Technical Specification

www.fortuneeng.com

Capacity

Thickness Of Chapati

Size Of Chapati

Weight Of Chapati

Chapati Baking

Gas Consumption

Gas Connection

Gas Safety

Machine Dimension

Weight of Machine

Total Power Use

Total Heating Element

Motor

Electric Supply

Electrical Motor

Electrical Wire

Electrical Parts

Bearings

Baking Conveyor

All Contact Parts

Machine Movable

1000/Hour

1 mm To 12 mm (Adjustable)

3 to 9 Inch Max.

15gm To 90gm

Three Layers Technology

2.5 Kg/Hour

LPG & PNG

Auto Cut Off Valve System

2.2(w) x 5.2(L) x 4.5(h) Feet

380 Kg

2 Unit / Hour

2500 Watt

0.5 HP x 2

220 V Single Phase

Godrej or Crompton

RR cable Or Havells

L&T, Schneider or Abb

Timken or SKF

SS 304

SS 304 & Ceramic Coating

Yes (4" Castor Wheel)

FC – 1000 (Combo)

Automatic Chapati Making Machine

ISO 9001:2015 CERTIFIED COMPANY

Features

- India's first portable machine in commercial segment.
- Easy to Operate
- Low Maintenance
- Hi-Performance
- Stainless Steel Body
- Simple, rugged and very compact
- Requires no special skills to operate.
- Uniformly baked final product.
- Robust Construction.
- High Capacity.
- Eco friendly, no pollution problems.
- Hygienic production.
- Final product with traditional test.



Technical Specification

www.fortuneeng.com

Capacity
Thickness Of Chapati
Size Of Chapati
Weight Of Chapati
Chapati Baking
Gas Consumption
Gas Connection
Gas Safety
Machine Dimension
Weight of Machine
Total Power Use
Total Heating Element
Motor
Electric Supply
Electrical Motor
Electrical Wire
Electrical Parts
Bearings
Baking Conveyor
All Contact Parts
Machine Movable

1000/Hour & 2000 Dough / Hour
1 mm To 12 mm (Adjustable)
3 to 9 Inch Max.
15gm To 90gm
Three Layers Technology
2.5 Kg/Hour
LPG & PNG
Auto Cut Off Valve System
2.2(w) x 6.8(L) x 5.2(h) Feet
380 Kg
2 Unit / Hour
2500 Watt
0.5 HP x 2
220 V Single Phase
Godrej or Crompton
RR cable Or Havells
L&T, Schneider or Abb
Timken or SKF
SS 304
SS 304 & Ceramic Coating
Yes (4" Castor Wheel)

Features

- India's first portable machine in commercial segment.
- Easy to Operate
- Low Maintenance
- Hi-Performance
- Stainless Steel Body
- Simple, rugged and very compact
- Requires no special skills to operate.
- Uniformly baked final product.
- Robust Construction.
- High Capacity.
- Eco friendly, no pollution problems.
- Hygienic production.
- Final product with traditional test.



Technical Specification

www.fortuneeng.com

Capacity

Thickness Of Chapati

Size Of Chapati

Weight Of Chapati

Chapati Baking

Gas Consumption

Gas Connection

Gas Safety

Machine Dimension

Weight of Machine

Total Power Use

Total Heating Element

Motor

Electric Supply

Electrical Motor

Electrical Wire

Electrical Parts

Bearings

Baking Conveyor

All Contact Parts

Machine Movable

650 to 700 / hour

1 mm To 12 mm (Adjustable)

3 to 9 Inch Max.

15gm To 90gm

Three Layers Technology

2 Kg/Hour

LPG & PNG

Auto Cut Off Valve System

2.2(w) x 4(L) x 4.5(h) Feet

300 Kg

2 Unit / Hour

2500 Watt

0.5 HP

220 V Single Phase

Godrej or Crompton

RR cable Or Havells

L&T, Schneider or Abb

Timken or SKF

SS 304

SS 304 & Ceramic Coating

Yes (4" Castor Wheel)

Features

- Ideally used for catering service, restaurant, hotel and individual processing unit
- Energy Efficient Machine. Huge Labour Power Saving Benefits
- Hygienic Operation.
- Zero Cost Maintenance
- Easy To Operate
- Even Unskilled Worker Can Operate
- Specially for Semi Cooked Chapati



Technical Specification

Capacity	1000/Hour
Thickness Of Chapati	1 mm To 12 mm
Size Of Chapati	9 Inch Max.
Weight Of Chapati	10 gm To 90 gm
Machine Size	14 x 26 x 18 (Inch)
Machine Weight	110 kg.
Total Power Use	2 Unit / Hour
Total Heating Element	2700 Watt
Motor	0.5 HP
Electric Supply	220 V Single Phase
Electrical Motor	Godrej / Crompton
Electrical Wire	RR cable Or Havells
Electrical Parts	L & T, Schneider or Abb
Electric Connection load	3 HP
Material	Stainless Steel

FS – 800

Semi Automatic Chapati Pressing Machine With Roasting Unit

ISO 9001:2015 CERTIFIED COMPANY



Technical Specification

Capacity	1000/Hour
Thickness Of Chapati	1 mm To 12 mm
Size Of Chapati	9 Inch Max.
Weight Of Chapati	10 gm To 90 gm
Machine Size	14 x 26 x 18 (Inch)
Machine Weight	110 kg.
Total Power Use	2 Unit / Hour
Total Heating Element	2700 Watt
Motor	0.5 HP
Electric Supply	220 V Single Phase
Electrical Motor	Godrej / Crompton
Electrical Wire	RR cable Or Havells
Electrical Parts	L & T, Schneider or Abb
Electric Connection load	3 HP
Material	Stainless Steel
Roasting Unit Size	18 x 36 x 12

FC – 2000

Automatic Chapati Making Machine

ISO 9001:2015 CERTIFIED COMPANY



Technical Specification

Production Capacity	2000 Roti / Hr.
Size of Roti	3" to 9".
Weight of Chapati	20 to 70 gm.
Thickness of Chapati	8 mm to 12 mm
Electrical Supply	230 V (Single Phase) or 440 V (Three phase)
Electrical Connection Load	8 hp.
Electrical Consumption	4 Unit/ Hr.
Chapati Baking	Three layer Technology.
Gas Connection	LPG & PNG
Gas Consumption	4.5 kg / Hr.
Gas Safety	Auto Cut Off Valve System
Roti Colour & Appearance	Light Brown
Overall Dimensions	3.9' (L) X 2.4' (W) X 4.7' (H).
Weight of Machine	550 kg.
All Contact Parts & Covers	SS 304
Roti Baking Conveyor	SS 304
Electrical Motor	Crompton
Electrical Wire	RR cable or Polycab
Gear Box	Elecon
Electrical Parts	Siemens & L&T
Electric Safety	Emergency Stop Button
Bearing	SKF or FAG
Machine Movable	Yes(4" Castor Wheel)

www.fortuneeng.com

FCE – 600, FCE – 1000

Automatic Chapati Making Machine
(Fully Electric Model)

ISO 9001:2015 CERTIFIED COMPANY



Technical Specification

FCE – 600

Capacity
Thickness Of Chapati
Size Of Chapati
Weight Of Chapati
Chapati Baking
Machine Dimension
Weight of Machine
Total Power Use
Electric Connection Load
Motor
Electric Supply
Electrical Motor
Electrical Wire
Electrical Parts
Bearings
Baking Conveyor
All Contact Parts
Machine Movable

600 / Hour
1 mm To 4 mm (Adjustable)
3 to 8 Inch Max.
15gm To 90gm
Three Layers Technology
2.2(w) x 4(L) x 4.5(h) Feet
330 Kg
9 Unit/Hour
13 Hp
0.5 HP
440 V Three Phase
Godrej or Crompton
RR cable Or Havells
L&T, Schneider or Abb
Timken or SKF
SS 304
SS 304 With Ceramic Coating
Yes (4" Castor Wheel)

FCE – 1000

1000 / Hour
1 mm To 4 mm (Adjustable)
3 to 8 Inch Max.
15gm To 90gm
Three Layers Technology
2.2(w) x 5.2(L) x 4.5(h) Feet
400 Kg
9 Unit/Hour
13 Hp
0.5 HP x 2
440 V Three Phase
Godrej or Crompton
RR cable Or Havells
L&T, Schneider or Abb
Timken or SKF
SS 304
SS 304 With Ceramic Coating
Yes (4" Castor Wheel)

Features

- India's first portable machine in commercial segment.
- Easy to Operate
- Low Maintenance
- Hi-Performance
- Stainless Steel Body
- Simple, rugged and very compact
- Requires no special skills to operate.
- Uniformly baked final product.
- Robust Construction.
- High Capacity.
- Eco friendly, no pollution problems.
- Hygienic production.
- Final product with traditional test.



Capacity
Thickness Of Chapati
Size Of Chapati
Weight Of Chapati
Chapati Baking
GAS Consumption
Gas Connection
Machine Dimension
Weight of Machine
Total Power Use
Total Heating Element
Motor
Electric Supply Electrical
Motor
Electrical Wire
Electrical Parts
Bearings
Electric Connection load
Body

650 to 700/Hour
1 mm To 4 mm (Adjustable)
3 to 8.5 Inch Max.
25 gm To 45 gm
Four Layers Technology
1.5 Kg/Hour
LPG & PNG
2.5 x 2.5 x 4.2 Feet
225 Kg
2 Unit / Hour
2500 Watt
0.5 HP, 0.25 HP
220 V Single Phase
Godrej or Crompton
RR Cable Or Havells
L & T, Schneider or Abb
Timken or SKF
3.5 HP
Stainless Steel & Toughened Glass

Technical Specification

FDB – 2000

Dough Ball Cutting Machine

ISO 9001:2015 CERTIFIED COMPANY

Features

- Low density, smoothness and good roundness
- Elegant in style
- Ideally used for catering service, restaurant, hotel and individual processing unit
- All Pieces Are Of Perfect Size, Shape & Weight.
- Easy Movement.
- Easily Openable Washable. Easy To Operate, Even Unskilled Worker Can Operate
- Energy Efficient Machine. Huge Labour Power Saving Benefits
- Hygienic Operation.
- Zero Cost Maintenance



Capacity

Machine Weight

Machine Dimension

Machine Contact Parts

Electric Motor

Dough Ball Weight

Tolerance

Blade

Electric Supply

Electrical Wire

Electrical Parts

2000 to 2200/Hours

70 Kg

1.8(w) x 2.5(L) x 205(h) Inch

SS 304

Godrej / Crompton

5 to 110 Gm

±2 Gm

SS 304

220 V Single Phase

RR cable Or Havells

L&T, Schneider

Technical Specification

www.fortuneeng.com

Dough Kneading Machine

ISO 9001:2015 CERTIFIED COMPANY



Technical Specification

Capacity	Weight of Machine	Motor	Bowl	Bowl Thickness	Power	Machine Size	Kneading Time
2 Kg.	17 Kg.	0.25 HP	SS 304	1.5 MM	Single Phase	15x14x19	5 Min.
5 Kg.	47 Kg.	0.5 HP	SS 304	1.5 MM	Single Phase	13x16x24	5 Min.
10 Kg.	125 Kg.	1 HP	SS 304	1.5 MM	Single Phase	39x20x15	5 Min.
15 Kg.	127 Kg.	1 HP	SS 304	1.5 MM	Single Phase	41x23x37	7 Min.
20 Kg.	135 Kg.	1.5 HP	SS 304	1.5 MM	Single Phase	44x25x40	7 Min.
25 Kg.	144 Kg.	1.5 HP	SS 304	1.5 MM	Single Phase	45x26x40	7 Min.
30 Kg.	156 Kg.	2 HP	SS 304	1.5 MM	Single Phase	46x27x40	10 Min.
40 Kg.	175 Kg.	3 HP	SS 304	1.5 MM	Single / Three Phase	49x28x44	10 Min.
50 Kg.	180 Kg.	3 HP	SS 304	1.5 MM	Single / Three Phase	49x28x44	10 Min.



Valuable Customer



ENJOY the BEST | CHAPATI



Our Global Footprint

FORTUNE ENGINEERING

📍 Plot. No. 11,8 – National Highway, 80ft Swati park
Main Road, Nr. S.R. Steel Street, Bajrang Ind.
Main Road, Rajkot – 360002, (GUJ) India.

☎ +91 99989 92758 | 97271 49663 | 99989 92796 | 99989 94691

🌐 www.fortuneeng.com

✉ fortuneengineering@yahoo.com

